
**Fig. 1**

Sample: malatyl starch/Hy	Frequency range: 3999.6401-399.1926	Number of Scans: 50
Method: KBr	Resolution: 4.0	Scan duration: 48.0520 (sec)
	Support points: 2	Acquisition: double-sided, forward-backward

Fig.2

Sample: malatyl starch/W	Frequency range: 3999.6401-399.1926	Number of Scans: 50
Method: KBr	Resolution: 4.0	Scan duration: 48.0463 (sec)
File5MS_W_DIA.0	Support points: 2	Acquisition: double-sided, forward-backward

03/10




Fig. 3

04/10




Fig. 4

05/10






Fig. 5

06/10



07/10




Sample:	malatyl starch/Hy		
Measured values starting:	Monday	6.054 ml	
Measured values ending:	Monday	26.054 ml	
Calibration file:	pull-no3.EIC	Eluant	twice distilled H ₂ O
minim. inhibitory concentration - A:	7.140E-01	minim. inhibitory concentration - M	1.363E-02 ml/g
Int. Standard: -E	0.000 ml	Int. Standard: -E	0.000 ml
Pump:	TSP P 100	flow rate:	1.000 ml/min
Concentration:	1.000 g/l	injection volume:	200.000 µl
Column 1:	HB 40 VOR	temperature:	
Column 2:	HB 1000	temperature:	
Column 3:	HB 40	temperature:	
Detector:	Shodex RI	displacement:	0.000 ml
Operator:		measuring intervals:	1.000 sec

Peak	Component	VP[ml]	F[V*ml]	F[%]	C[g/l]	C[%]
A:						
Sum:			0.000	100.0000	0.0000	100.0000

Fig. 7

08/10




Sample:	malatyl starch/Hy		
Integration starting:	Monday	8.966 ml	
Integration ending:	Monday	18.386 ml	
Calibration file:	pull-no3.EIC	Eluant	twice distilled H ₂ O
minim. inhibitory concentration -A:	7.140E-01	minim. inhibitory concentration - M	1.363E-02 ml/g
Int. Standard: -E	0.000 ml	Int. Standard: -E	0.000 ml
Pump:	TSP P 100	flow rate:	1.000 ml/min
Concentration:	1.000 g/l	injection volume:	200.000 µl
Column 1:	HB 40 VOR	temperature:	
Column 2:	HB 1000	temperature:	
Column 3:	HB 40	temperature:	
Detector:	Shodex RI	displacement:	0.000 ml
Operator:		measuring intervals:	1.000 sec

Shodex RI	
Mn:	4.054E+05 g/mol
Mw:	1.977E+07 g/mol
Mz:	4.307E+07 g/mol
Mv:	1.563E+07 g/mol
D:	4.877E+01
[n]:	1.866E+03 ml/g
Vp:	1.002E+01 ml
Mp:	3.228E+07 g/mol
FI:	8.639E-02 ml*V
<450	0.00
w%:	100.00
>967934140	0.00

Fig. 8


09/10



Sample:	malatyl starch/W		
Measured values starting:	Monday		6.500 ml
Measured values ending:	Monday		26.500 ml
Calibration file:	pull-no3.EIC	Eluant	twice distilled H ₂ O
minim. inhibitory concentration - A:	7.140E-01	minim. inhibitory concentration - K	1.363E-02 ml/g
Int. Standard: -E	0.000 ml	Int. Standard: -M	0.000 ml
Pump:	TSP P 100	flow rate:	1.000 ml/min
Concentration:	1.000 g/l	injection volume:	200.000 µl
Column 1:	HB 40 VOR	temperature:	
Column 2:	HB 1000	temperature:	
Column 3:	HB 40	temperature:	
Detector:	Shodex RI	displacement:	0.000 ml
Operator:		measuring intervals:	1.000 sec

Peak	Component	VP[ml]	F[V*ml]	F[%]	C[g/l]	C[%]
A:						
Sum:			0.000	100.0000	0.0000	100.0000

Fig. 9



Sample:	malatyl starch/W	
Integration starting:	Monday	9.189 ml
Integration ending:	Monday	18.678 ml
Calibration file:	pull-no3.EIC	Eluant
minim. inhibitory concentration -A:	7.140E-01	minim. inhibitory concentration - K
Int. Standard: -E	0.000 ml	twice distilled H ₂ O
Pump:	TSP P 100	1.363E-02 ml/g
Concentration:	1.000 g/l	Int. Standard: -M
Column 1:	HB 40 VOR	0.000 ml
Column 2:	HB 1000	flow rate:
Column 3:	HB 40	1.000 ml/min
Detector:	Shodex RI	injection volume:
Operator:		200.000 µl
		temperature:
		temperature:
		temperature:
		displacement:
		0.000 ml
		measuring intervals:
		1.000 sec

Shodex RI	
Mn:	1.939E+05 g/mol
Mw:	8.100E+06 g/mol
Mz:	2.307E+07 g/mol
Mv:	6.085E+06 g/mol
D:	4.177E+01
[n]:	9.516E+02 ml/g
Vp:	1.090E+01 ml
Mp:	4.780E+06 g/mol
FI:	7.812E-02 ml*V
<270	0.00
w%:	100.00
>724536690	0.00

Fig. 10